




Warmtek ltd
 via Ivan Pavlov, 57
 5630 Oreshak Loveshka oblast
 BULGARIA
 P.IVA BG200869531
 tel - 00359 888353710
 email: warmteku@gmail.com
 web: http://www.warmtek.bg

TECHNICAL SPECIFICATIONS HYDRO 14

Dear customers,


**Congratulations for your choice and interest in the WARMTEK LTD
 company and our pellet fireplaces**

Nominal power	14.38	kW
Efficiency	92.97	%
CO emissions (13)% O2 at rated power	0.0127	%
Mass of smoke at rated power	9.17	g/s
Reduced power	4.12	kW
EFFICIENCY at reduced power	91.61	%
Mass of smoke at reduced power	5.97	g/s
Maximum temperature of flue gas	107	°C
Burn autonomy min/max	19/80	h
Minimum power	<20	Pa
Fuel consumption min/max	3.12/0.90	kg / h
Max heat output for heating of water	10.86	kW
Working pressure Max.	2.5	bar
Expansion vessel	6	liters
Boiler capacity	16	liters
Tank capacity/hopper	50	kg
Heating capacity	110	m ²
Weight with packaging (HYDRO14)	150	kg
Flue diameter	80	mm
Diameter of pipe for incoming air	60	mm



WARMTEK LTD, Oreshak, region Troyan, 57 Ivan Pavlov str., e-mail: warmteku@gmail.com

Dimensions HYDRO 14





Warmtek ltd

via Ivan Pavlov, 57
5630 Oreshak Loveshka oblast
BULGARIA
P.IVA BG200869531
tel - 00359 888353710
email: warmteku@gmail.com
web: <http://www.warmtek.bg>

The HYDRO fireplaces are the perfect solution for heating rooms using radiators and their integrated water system.

Fireplaces are manufactured in Bulgaria using Italian and Swiss parts; German inverter pump WILO Yonos PARA; the electronic circuit board is manufactured by a group company – a manufacturer of electronics completely for exported to Italy. Each fireplace is equipped with a heat-resistant inox AISI 310 burner with a self-cleaning system, an integrated 60l fuel (pellet) hopper and an automatic control of the combustion air using a differential pressure gauge. The thickness of the sheet metal facing the fire is 5mm. Fireplaces also have a weekly programmer, a room temperature sensor, ceramic glass, protection sensors and an infrared remote control (option).

Power supply is AC 230V 50Hz. The maximum electrical power at ignition is 300W. The operating electrical power is 60W.

The colour range of the fireplaces offered by WARMTEK is: ivory, burgundy, black, brown and yellow.

- ✓ Italian parts
- ✓ Swiss parts
- ✓ Inverter pump WILO – Yonos PARA
- ✓ self-cleaning system
- ✓ inox burner AISI 310
- ✓ built-in 60 liters bunker
- ✓ automatic control of the combustion air
- ✓ weekly programming
- ✓ room temperature sensor
- ✓ remote control (option)